Journal of Biomedical Materials Research

Volume Contents 1989

Issue 1, January 1989

In vivo histologic and biomechanical characterization of a biodegradable particulate composite bone cement
T. N. Gerhart, A. A. Renshaw, R. L. Miller, R. J. Noecker, and W. C. Hayes 1

An evaluation of two configurations of tricalcium phosphate for treating craniotomies
J. O. Hollinger, J. P. Schmitz, J. W. Mizgala, and C. Hassler 17

Brain tissue reaction to permselective polymer capsules
S. R. Winn, P. Aebischer, and P. M. Galletti 31

Mechanical properties and short-term *in-vivo* evaluation of yttrium-oxide-partially-stabilized zirconia
P. Christel, A. Meunier, M. Heller, J. P. Torre, and C. N. Peille 45

Elastic and ultimate properties of acrylic bone cement reinforced with ultra-high-molecular-weight polyethylene fibers
B. Pourdeyhimi and H. D. Wagner 63

Effect of substrate condition and substituted phenols and methacrylates on toluene diisocyanate/dentin bond strengths
J. A. Stackhouse, Jr., D. S. Kristol, S. Von Hagen, and G. Rao 81

Compressed poly(vinyl alcohol)-polycaprolactone admixture as a model to evaluate erodible implants for sustained drug delivery
P. Wang 91

Platelet shape change and cytoskeletal reorganization on polyurethaneureas
S. L. Goodman, T. G. Grasel, S. L. Cooper, and R. M. Albrecht 105

Tissue biocompatibility of cellulose and its derivatives
T. Miyamoto, S. Takahashi, H. Ito, H. Inagaki, and Y. Noishiki 125

Book review
J. M. Anderson 135

Announcement 137

Information for Contributors 139

Issue 2, February 1989

Enhancement of the kinetics of the aeration of ethylene oxide sterilized polymers using microwave radiation
I. P. Matthews, C. Gibson, and A. H. Samuel 143

Transient adsorption of fibrinogen on foreign surfaces: Similar behavior in plasma and whole blood
J. L. Brash and P. ten Hove 157

Titanium-coated Dacron velour: A study of interfacial connective tissue formation
J. Y. J. Yan, F. W. Cooke, P. S. Vaskelis, and A. F. von Recum 171

Platelet adhesion onto protein-coated and uncoated polyetherurethaneurea having tertiary amino groups in the substituents and its derivatives
Y. Ito, M. Sisido, and Y. Imanishi 191

A preliminary durability study of two types of low-profile pericardial bioprosthetic valves through the use of accelerated fatigue testing and flow characterization
P. R. Schuster and J. W. Wagner 207

Attachment and growth of fibroblast cells on polypeptide derivatives
I.-K. Kang, Y. Ito, M. Sisido, and Y. Imanishi 223

A model for the corrosion behavior of dental amalgams
L. Lemaitre, M. Moors, and P. Van Peteghem 241

Brain biocompatibility of a biodegradable, controlled-release polymer in rats
R. J. Tamargo, J. I. Epstein, C. S. Reinhard, M. Chasin, and H. Brem 253

The interaction of cultured cells with membranes composed of random and block copolypeptides
N. Minoura, S. Aiba, Y. Fujiwara, N. Koshizaki, and Y. Imai 267

Announcement 283

Issue 3, March 1989

Enhanced patency of small-diameter tubings after surface immobilization of heparin fragments. A study in the dog.
C. Arnander 285

Oligomers with pendant isocyanate groups as tissue adhesives. I. Synthesis and characterization
G. M. Brauer and C. H. Lee 295

Properties and biological interactions of polyurethane anionomers: Effect of sulfonate incorporation
T. G. Grasel and S. L. Cooper 311

The spatial resolution of protein adsorption on surfaces of heterogeneous metallic biomaterials
R. L. Williams and D. F. Williams 339

Protein-resistant surfaces prepared by PEO-containing block copolymer surfactants
J. H. Lee, J. Kopecek, and J. D. Andrade 351

Book review
R. E. Baier 369

Announcement 373

Information for Contributors 375

Issue 4, April 1989

Influence of antibiotic impregnation on the fatigue life of Simplex P and Palacos R acrylic bone cements, with and without centrifugation
J. P. Davies, D. O. O'Connor, D. W. Burke, and W. H. Harris 379

In vitro platelet interactions with a heparin-polyvinyl alcohol hydrogel
C. H. Cholakis and M. V. Sefton 399

Effect of heparin-PVA hydrogel on platelets in a chronic canine arterio-venous shunt
C. H. Cholakis, W. Zingg, and M. V. Sefton 417

The role of physical and chemical characteristics in assessing the performance of a new biological vascular graft
G. Roberts, H. McCormack, V. Ketharanathan, D. G. Macleish, P. L. Field, and P. Y. Milne 443

Announcement 453

Issue 5, May 1989

The bovine pericardial xenograft: I. Effect of fixation in aldehydes without constraint on the tensile viscoelastic properties of bovine pericardium
J. M. Lee, S. A. Haberer, and D. R. Boughner 457

The bovine pericardial xenograft: II. Effect of tethering or pressurization during fixation on the tensile viscoelastic properties of bovine pericardium
J. M. Lee, R. Corrente, and S. A. Haberer 477

The bovine pericardial xenograft: III. Effect of uniaxial and sequential biaxial stress during fixation on the tensile viscoelastic properties of bovine pericardium
J. M. Lee, M. Ku, and S. A. Haberer 491

Fracture behavior of urinary stones under compression
F. Ebrahimi and F. Wang 507

NOTE

Raman spectroscopy for the study of porous composite alumina coating
A. Bertoluzza, C. Fagnano, A. Tinti, A. Toni, G. Ciapetti, A. Sudanese, and C. Cattaneo 523

Announcements 529

Issue 6, June 1989

Plasma protein adsorbed biomedical polymers: Activation of human monocytes and induction of interleukin 1
T. L. Bonfield, E. Colton, and J. M. Anderson 535

IR spectral changes of bovine serum albumin upon surface adsorption
T. J. Lenk, B. D. Ratner, R. M. Gendreau, and K. K. Chittur 549

The effect of local controlled release of sodium fluoride on the stimulation of bone growth
A. F. Tencer, B. L. Allen, Jr., P. L. Woodard, J. Self, A. L'Heureux, J. H. Calhoun, and K. L. Brown 571

Human erythrocyte adhesion and spreading on protein-coated polymer surfaces
J. Steinberg, A. W. Neumann, D. R. Absolom, and W. Zingg 591

Antithrombogenic surfaces: Characterization and bioactivity of surface immobilized PGE_1-heparin conjugate
H. A. Jacobs, T. Okano, and S. W. Kim 611

Bone bonding behavior of MgO-CaO-SiO_2-P_2O_5-CaF_2 glass (mother glass of A · W-glass-ceramics)
T. Kitsugi, T. Yamamuro, T. Nakamura, and T. Kokubo 631

Collagen organization in mandrel-grown vascular grafts
J. A. M. Ramshaw, D. E. Peters, J. A. Werkmeister, and V. Ketharanathan 649

Cytotoxicity of alkyl-2-cyanoacrylate adhesives
F. J. Papatheofanis 661

Announcements 671

Issue 7, July 1989

Biomechanical considerations on some postoperative problems of directly anchored total hip replacements
G. Heimke, D. Stock, C. M. Büsing, and D. v. Mallinckrodt 679

Bioceramics and the origin of life
L. L. Hench 685

Tissue reaction to intraperitoneal polymer implants: Species difference and effects of corticoid and doxorubicin
L. Christenson, P. Aebischer, P. McMillan, and P. M. Galletti 705

Creep studies of multiphase acrylic systems
H. Øysæd and I. E. Ruyter 719

Interfacial analysis of fiber-reinforced bioactive glass dental root implants
E. Schepers, P. Ducheyne, and M. De Clercq 735

Oligomers with pendant isocyanate groups as tissue adhesives: II. Adhesion to bone and other tissues
G. M. Brauer and C. H. Lee 753

Comparison of coral resorption and bone apposition with two natural corals of different porosities
G. Guillemin, A. Meunier, P. Dallant, P. Christel, J-C. Pouliquen, and L. Sedel 765

Strengthening of bone–implant interface by the use of granule coatings on alumina ceramics
Y. Kakutani, T. Yamamuro, T. Nakamura, and Y. Kotoura 781

Announcements 809

Information for Contributors 813

Issue 8, August 1989

Fatigue of acrylic bone cement—Effect of frequency and environment
J. A. Johnson, J. W. Provan, J. J. Krygier, K. H. Chan, and J. Miller 819

The effect of gamma irradiation on injectable human amnion collagen
B. Liu, R. Harrell, R. H. Davis, M. H. Dresden, and M. Spira 833

Elimination of nickel, cobalt, and chromium following repeated injections of high dose metal salts
K. Merritt, T. D. Crowe, and S. A. Brown 845

Heparinizable segmented polyurethanes containing polyamidoamine blocks
M. C. Tanzi and M. Levi 863

Transformation of biphasic calcium phosphate ceramics *in vivo*: Ultrastructural and physicochemical characterization
G. Daculsi, R. Z. LeGeros, E. Nery, K. Lynch, and B. Kerebel 883

Ultrastructural comparisons of ceramic and titanium dental implants *in vivo*: A scanning electron microscopic study
D. E. Steflik, R. V. McKinney, Jr., and D. L. Koth 895

In vitro stimulation of fibroblast activity by factors generated from human monocytes activated by biomedical polymers
K. M. Miller and J. M. Anderson 911

Injectable cross-linked collagen with improved flow properties
D. G. Wallace, W. Rhee, H. Reihanian, G. Ksander, R. Lee, W. B. Braun, B. A. Weiss, and B. B. Pharriss 931

NOTE

Foreign body reaction against cellophane in the athymic nude mice
K. Smetana, Jr., M. Holub, and A. Slavčev 947

Announcements 955

Issue 9, September 1989

An evaluation of purified reconstituted type 1 collagen fibers
J. K. Law, J. R. Parsons, F. H. Silver, and A. B. Weiss 961

In vitro and *ex vivo* platelet interactions with hydrophilic–hydrophobic poly(ethylene oxide)–polystyrene multiblock copolymers
D. W. Grainger, C. Nojiri, T. Okana, and S. W. Kim 979

Generation of IL1-like activity in response to biomedical polymer implants: A comparison of *in vitro* and *in vivo* models
K. M. Miller, V. Rose-Caprara, and J. M. Anderson 1007

Surface characterization of the cuticle of *Dirofilaria immitis*
F. H. Bilge, K. A. Kadipasaoglu, C. M. McCormick, and R. E. Baier 1027

The influence of calcium phosphate ceramics and glass–ceramics on cultured cells and their surrounding media
K. Hyakuna, T. Yamamuro, Y. Kotoura, Y. Kakutani, T. Kitsugi, H. Takagi, M. Oka, and T. Kokubo 1049

Effects of a grooved titanium-coated implant surface on epithelial cell behavior *in vitro* and *in vivo*
B. Chehroudi, T. R.L. Gould, and D. M. Brunette 1067

Duplex stainless steels for osteosynthesis devices
A. Cigada, G. Rondelli, B. Vicentini, M. Giacomazzi, and A. Roos 1087

Announcements 1097

Issue 10, October 1989

Toxicity of copper-based dental alloys in cell culture
J. D. Bumgardner, L. C. Lucas, and A. B. Tilden 1103

Bioabsorption of polylactides with different molecular properties
T. Nakamura, S. Hitomi, S. Watanabe, Y. Shimizu, K. Jamshidi, S.-H. Hyon, and Y. Ikada 1115

Enhanced adherence of human adult endothelial cells to plasma discharge modified polyethylene terephthalate
K. J. Pratt, S. K. Williams, and B. E. Jarrell 1131

Tissues at the surface of the new composite material titanium/glass-ceramic for replacement of bone and teeth
Ch. Müller-Mai, H.-J. Schmitz, V. Strunz, G. Fuhrmann, Th. Fritz, and U. M. Gross 1149

A histomorphometric comparison of the muscular tissue reactions to high-density polyethylene in rats and rabbits
P. Christel and A. Meunier 1169

Correlation between mesh size and equilibrium degree of swelling of polymeric networks
T. Canal and N. A. Peppas 1183

Mechanical properties of BIS-GMA resin short glass fiber composites
W. R. Krause, S.-H. Park, and R. A. Straup 1195

Effect of liposomes on hamster oral mucosa
W. C. Foong, B. B. Harsanyi, and M. Mezei 1213

Announcements 1231

Information for Contributors 1239

Issue 11, November 1989

Editorial: "Push-out" tests
J. Black 1243

Evaluation of metal implants coated with several types of ceramics as biomaterials
K. Hayashi, N. Matsuguchi, K. Uenoyama, T. Kanemaru, and Y. Sugioka 1247

Interaction of human serum lipoproteins with biomaterials
N. Jayakumari, M. Chitra, and K. Subramonia Iyer 1261

In vivo and *in vitro* degradation of glycine/DL-lactic acid copolymers
J. M. Schakenraad, P. Nieuwenhuis, I. Molenaar, J. Helder, P. J. Dijkstra, and J. Feijen 1271

Study of osteoconductive properties of bioactive glass fibers
U. E. Pazzaglia, C. Gabbi, B. Locardi, A. Di Nucci, G. Zatti, and P. Cherubino 1289

Acute histopathological response to a new biodegradable polypeptidic polymer for implantable drug delivery system
F. Lescure, R. Gurny, E. Doelker, M. L. Pelaprat, D. Bichon, and J. M. Anderson 1299

Embolization: Critical thrombus height, shear rates, and pulsatility. Patency of blood vessels
D. Basmadjian 1315

Amphiphilic networks: II. Biocompatibility and controlled drug release of poly[isobutylene-co-2-(dimethylamino)ethyl methacrylate]
D. Chen, J. P. Kennedy, M. M. Kory, and D. L. Ely 1327

Immunological safety assessments of anti-IgE antibody which is detached from therapeutic immunoadsorbents for removing IgE
H. Sato and T. Kidaka 1343

Toxic effects of aldehydes released from fixed pericardium on bovine aortic endothelial cells
E. Ebyl, A. Griesmacher, M. Grimm, and E. Wolner 1355

Letters to the Editor 1367

Announcements 1373

Information for Contributors 1383

Issue 12, December 1989

Preadsorption of polymers on glass and silica to reduce fibrinogen adsorption
C. Maechling-Strasser, Ph. Déjardin, J. C. Galin, and A. Schmitt 1385

Synthesis and adsorption of a poly(N-acetylethyleneimine)-polyethyleneoxide-poly(N-acetylethyleneimine) triblock-copolymer at a silica/solution interface. Influence of its preadsorption on platelet adhesion and fibrinogen adsorption
C. Maechling-Strasser, Ph. Déjardin, J. C. Galin, A. Schmitt, V. Housse-Ferrari, B. Sébille, J. N. Mulvihill, and J. P. Cazenave ... 1395

Desorption and exchange properties of adsorbed albumin on apatite. Influence of long-term interfacial residence times
M. J. Mura, S. Behr, and J. C. Voegel 1411

Repair of experimental arteriotomy in rabbit aorta using a new resorbable elastin–fibrin biomaterial
F. Lefebvre, F. Drouillet, A. M. Savin de Larclause, M. Aprahamian, D. Midy, L. Bordenave, and M. Rabaud 1423

Effects of synthetic calcium phosphates on the ^{3}H-thymidine incorporation and alkaline phosphatase activity of human fibroblasts in culture
I. Orly, M. Grégoire, J. Menanteau, and M. Dard 1433

Establishment of a neovascular bed in a collagen-impregnated polyurethane sponge
M. H. Lipsky and P. Lamberton 1441

A micromechanical technique for monitoring cell–substrate adhesiveness: Measurements of the strength of red blood cell adhesion to glass and polymer test surfaces
V. M. Bowers, L. R. Fisher, G. W. Francis, and K. L. Williams 1453

Adhesive bone cement both to bone and metals: 4-META in MMA initiated with tri-*n*-butyl borane
K. Ishihara and N. Nakabayashi 1475

Identification of plasma proteins adsorbed to hemodialyzers during clinical use
S. R. Mulzer and J. L. Brash 1483

Announcements 1505

Information for Contributors 1509

Author Index 1513

Subject Index 1519

Volume Contents iii